


Washington Tracking Network (WTN)
www.doh.wa.gov/wtn

A complete list of all data on WTN



DOH 334-411 August 2017

Data listed in order of menu on website



The screenshot shows a web interface titled "Measure 1". It contains a "Keyword Search" section with a text input field labeled "Search measures". Below this are several dropdown menus: "Section" (labeled "Select a section"), "Topics" (labeled "Select a topic"), "Sub Topic" (labeled "Select a sub topic"), "Measure" (labeled "Select a measure"), and "Filters" (labeled "Geography" with "Select a geography" below it). A "Submit" button is located at the bottom of the form.

Climate and Health Section

Environment topic

- **Air Stagnation** → Number of Stagnate Air Days: State and Census Tract levels (1973-2015)
- **Drought Prone Areas** → Census Tract level (1969-2012)
- **Flood Risk**
 - **100-Year Flood zones** → Census Tract level
 - **Population in 100 Year Flood zones** → Census Tract and State
- **Natural Hazards** → Earthquake faults, 100-year flood zones, Tsunamis, Volcano Hazards, Wildfire Burn, lava flows
- **Snow Pack** → Watershed areas (WRIAs), (1979-2015)
- **Urban Heat**
 - **Paved Surfaces** → Census Tract level
- **Weather Extremes**
 - **Extreme Heat** → Extremely Hot Days - Census Tract – 2000 -2015

- **Heavy Precipitation** ➡ Heavy Precipitation Days (rain/snow/hail) 2000-2015
- **Wildfires** ➡ Number of fires, number of acres burned and percent acre Burned, State, County and Census Tract levels, (2000-2016)

Carbon Sources

- **Commute to Work**
 - **People Driving Alone** ➡ Percent of People Commuting Alone by Car, Census tract (2009-2013)
 - **Time Spent Commuting alone** ➡ Census tract (2009-2013)
- **Total Electricity Use**
 - **Commercial Electricity Use** ➡ Per capita electricity usage in WA state for commercial consumers, State and PUD levels (2000-2013)
 - **Industrial Electricity Use** ➡ Per capita electricity usage in WA state for industrial consumers, State and PUD levels (2000-2013)
 - **Residential Electricity Use** ➡ Per capita electricity usage in WA state for residential consumers, State and PUD levels (2000-2013)

Community Section

Community Characteristic Topic

- **Economic Characteristics**
 - **Children Living in Poverty** ➡ Children Under 18 Living in Poverty, Census Tract level, (2011-2015)
 - **HUD – Unaffordable Housing and Transportation** ➡ Census Tract level, (2008-2012)
 - **Income Spent on Housing** ➡ Census Tract level, (2008-2012)
 - **Income Spent on Transportation** ➡ Census Tract level (2008-2012)
 - **Population Living in Poverty** ➡ Individuals Living Below Poverty Level, Census Tract level, (2011-2015)
 - **Poverty <=125% of FPL** ➡ Households Living at 125% of Poverty Level, Census Tract level, (2011-2015)

- **Unaffordable Housing** ➡ Cost at Least 30% of Income, Census Tract Level, (2009-2013)
- **Unaffordable Transportation** ➡ Transportation Affordability of Median Income Families, Census Tract level, (2008-2012)
- **Unemployed** ➡ Population Unemployed, Census Tract level, (2011-2015)
- **Economic Characteristics**
 - **College Education** ➡ College of College Degree (Age 25+), County level, Male or Female level, (2009-2013)
 - **No College Degree** ➡ No College Degree (by age 25+), Census Tract and County levels, (2011-2015)
 - **No High School Diploma** ➡ No High School Diploma, Census Tract and County levels, (2011-2015)
- **Emergency Preparedness and Response**
 - **Emergency Operations and Coordination** ➡ Capability Assessment for Emergency Operations Coordination, Local Health Jurisdiction level (LHJ), (2016)
 - **Information Sharing for EP&R** ➡ Capability Assessment for Information Sharing, Local Health Jurisdiction level (LHJ), (2016)
 - **In-home Power Dependent Equipment** ➡ Power dependent equipment, County and Zip Code levels, (2016)
 - **In-Home Services Requiring Power** ➡ Count and Zip Code levels, (2016)
 - **Medical Countermeasures Dispensing** ➡ Capability Assessment for Medical countermeasures dispensing, Local Health Jurisdiction (LHJ) level, (2016)
 - **Medical Surge** ➡ Capability Assessment for Medical Surge, Local Health Jurisdiction, (2016)
 - **Medicare Beneficiaries** ➡ Zip Code level, (2016)
 - **Non-pharmaceutical Interventions** ➡ Capability Assessment for Non-pharmaceutical interventions, Local Health Jurisdictions (LHJ), (2016)
 - **Public Health Surveillance + Epidemiological Investigations** ➡ Capability Assessment for Public Health Surveillance + Epidemiological Investigations, Local Health Jurisdictions (LHJ), (2016)
 - **Public Information and Warning** ➡ Capability Assessment for public information and warning, Local Health Jurisdictions (LHJ), (2016)
- **Housing**
 - **Housing with 10+ Units** ➡ Housing in Structures with 10+ Units, Census Tract level (2009-2013)

- **Mobile Homes** ➡ Total number and percentage, Census Tract and County levels, (2011-2015)
- **Overcrowded Housing** ➡ Housing with more than one person per room, Census Tract and County, (2011-2015)
- **Post-2010 Housing** ➡ Percent housing built after 2010, Census Tract level (2010-2014)
- **Pre-1939 Housing** ➡ Percent housing built before 1939, Census Tract (2010-2014)

● Languages

- **Limited English** ➡ Population age 5 or more speaking English less than very well, Census Tract and county levels, (2011-2015)
- **Limited English Proficiency (LEP) –Counts** ➡ Estimates of Counts from American Community Survey, County and Census Tract levels (2011-2015)
- **Limited English Proficiency (LEP) – Percentages** ➡ Estimates of Percent from American Community Survey, County and Census Tract levels (2011-2015)
- **OFM – Student Data for LEP - Counts** ➡ Limited English Proficiency (LEP) counts from student data – Office of Financial Management, County level, (2016)
- **OFM – Student Data for LEP - Percentages** ➡ Limited English Proficiency (LEP) percentages from student data – Office of Financial Management, County level, (2016)

● Neighborhood Characteristics

- **Alcohol Outlet Density** ➡ Number per 10,000 population, Census Tract level (2009-2013)
- **Health Professional Shortage Areas** ➡ Census tract level, (2015)
- **Limited Access to Healthy Food** ➡ Census tract level, (2009)
- **Low Voting Rate** ➡ Percent voting zero times from 2012-2015, Census tract level
- **Park Access – Children** ➡ Census Tract level (2015)
- **Poor Land Use Mix** ➡ The measure displays a score from zero to 100 with zero being only one land use type and 100 being an equal distribution of six land use types (education, entertainment, single-family residence, multi-family residence, retail, office, Census Tract Level, (2010)
- **Unoccupied Housing** ➡ Census Tract Level, (2011-2015)

Community Characteristic Topic

- **Median Household Income**

- **Median Household Income** ➡ State, County and Census Tract levels (1989-2015)

- **Population Characteristics**

- **Limited Access to a Private Vehicle** ➡ Total number and percentage of households with limited or no access to a vehicle, Census and County levels, (2011-2015)
- **Population** ➡ State, County and Census Tract levels, age groups, male/female, (2000-2016)
- **Population 18-65 with no Health Insurance** ➡ County and Census Tract levels, (2011-2015)
- **Population 65+ Living Alone** ➡ Total number and percentage living alone in no-family households, County and Census Tract levels, (2011-2015)
- **Population Under 5 Years Old** ➡ Percentage of the population five and under, Census Tract, (2010-2014)
- **Population With a Disability** ➡ Percentage and total number of the population with some form of disability (hearing, vision, cognitive, ambulatory, independent living and self-care difficulties), County and Census Tract levels, (2011-2015)
- **Race** ➡ County (2000-2016), Census Tract (2005-2015) and State levels (2005-2015)
- **Single Parent Household** ➡ Total number of households, the number of households with a single parent (male plus female) and percentage of households that are single-parent families with children under 18 years of age, Census and County, (2011-2015)

- **Transportation**



Transportation Safety

- **All Crashes** ➡ Total crashes – rate per 100,000, Census Tract level (2009-2013)
- **All Crashes Involving Fatalities and Serious Injuries** ➡ All serious and fatal crashes, rate per 100,000, Census Tract (2009-2013)

- **Crashes Involving Alcohol** ➡ Fatal and Serious crashes involving alcohol, rate per 100,000, Census Tract level (2009-2013)
- **Crashes Involving a Pedestrian or Bicyclist** ➡ Fatal and serious crashes involving a pedestrian or bicyclist – rate per 100,000, Census Tract level, (2009-2013)
- **Crashes Involving Speeding** ➡ Fatal and serious crashes involving speeding – rate per 100,000, Census Tract, (2009-2013)
- **Crashes Involving Young Drivers** ➡ Fatal and serious crashes involving young drivers (less than 25 years old) – rate per 100,000, Census Tract, (2009-2013)

Transportation to Work

- **Bike or Walk to Work** ➡ Census Tract level, (2009-2013)
- **People Driving Alone** ➡ Percent of people community alone by car, Census Tract level, (2009-2013)
- **Limited Public Transit to Work** ➡ Percent not using public transit to work, Census Tract level, (2009-2013)
- **Public Transit to Work** ➡ Percent who take public transit to work, Census Tract level, (2009-2013)

Environment Section

Air Quality Topic

Ground Level Ozone Subtopic

- **Ozone – Air Quality** ➡ County level, (2000-2016)
- **Ozone – Exposure** ➡ Exposed to poor ozone air quality – population times 1000, County level, (2000-2016)
- **Ozone Air Quality Index (AQI)** ➡ County level, (2000-2016)

Small Particulate Matter (PM2.5) Subtopic

- **PM2.5 – Air Quality** ➡ County level – both FRM and continuous monitors and FRM monitors only, (2000-2015)

- **PM2.5 - Exposure** ➡ Exposed to poor PM2.5 air quality – population times 1000, County level – both FRM and continuous monitors and FRM monitors only, (2000-2015)
- **PM2.5 – Annual Average Air Quality** ➡ Average air quality concentrations for PM2.5, County level, (2000-2015)
- **PM2.5 – Annual Exposure** ➡ Exposure to PM2.5, State level, (2000-2015)
- **PM2.5 – WA Air Quality Advisory (WAQA)** ➡ - County level, (2000-2015)

Wildfire Occurrences Subtopic

- **Wildfires** ➡ Number of fires, number of acres burned and percent acre burned, State, County and Census Tract levels, (2000-2016)

Drinking Water



Arsenic Subtopic

- **Arsenic Exposure** ➡ County and State levels, (1999-2016)
- **Arsenic Levels** ➡ County and State levels, (1999-2015)

Atrazine (Herbicide) Subtopic

- **Atrazine Exposure** ➡ County and State levels, (1999-2016)
- **Atrazine Exposure by Quarter** ➡ State level, (1999-2016)
- **Atrazine Levels** ➡ County and State levels, (1999-2016)
- **Atrazine Levels by Quarter** ➡ State level, (1999-2016)

DEHP (In Plastics) Subtopic

- **DEHP Exposure** ➡ County and State levels, (1999-2016)
- **DEHP Levels** ➡ County and State levels, (1999-2016)

Drinking Water Systems

- **Public Community Water Systems** ➡ Population Served, County and State levels, (2000-2016)

Haloacetic Acides (HAA5)

- **HAA5 Levels** ➡ County and State levels, (1999-2016)
- **HAA5 Levels by Quarter** ➡ Quarterly means, State level (1999-2016)
- **HAA5 Exposure** ➡ County and State levels, (1999-2016)
- **HAA5 Exposure by Quarter** ➡ State level, (1999-2016)

Nitrates

- **Nitrate Exposure** ➡ County and State levels, (1999-2016)
- **Nitrate Exposure by Quarter** ➡ State level, (1999-2016)
- **Nitrate Levels** ➡ County and State levels, (1999-2016)
- **Nitrate Levels by Quarter** ➡ State level, (1999-2016)

PCE (Solvent)

- **PCE Exposure** ➡ Perchloroethylene (PCE) Exposure, County and State levels, (1999-2016)
- **PCE Levels** ➡ Perchloroethylene (PCE) levels, County and State levels, (1999-2016)

Radium

- **Radium Exposure** ➡ Radium 224+226 Exposure, County and State levels, (2001-2016)
- **Radium Levels** ➡ Radium 224+226 levels, County and State levels, (2001-2016)

TCE (Solvent)

- **TCE Exposure** ➡ Trichloroethylene (TCE) Exposure, County and State levels, (1999-2016)
- **TCE Levels** ➡ Trichloroethylene (TCE) levels, County and State levels, (1999-2016)

Trihalomethanes (TTHM)

- **TTHM Levels** ➡ County and State levels, (1999-2016)
- **TTHM Levels by Quarter** ➡ Quarterly means, State level, (1999-2016)
- **TTHM Exposure** ➡ County and State levels, (1999-2016)
- **TTHM Exposure by Quarter** ➡ Quarterly means, State level, (1999-2016)

Uranium

- **Uranium Exposure** ➡ County and State levels, (1999-2016)
- **Uranium Levels** ➡ County and State levels, (1999-2016)

Radon



Radon Test Results

- **Radon Test Results** ➡ County, State and Census Tract levels, (1989-2016)
- **Housing Tested for Radon** ➡ Number of tests, number total housing units and percentage of housing tested for radon, County and State levels, (2000-2016)

Smoking/Lung Cancer – Zip Code

- **Smoking Prevalence – Zip Code** ➡ 2006-2012
- **Lung Cancer Rates** ➡ Zip Code, Lung cancer rates per 100,000 (2001-2010)

Traffic Air Pollution



Road Traffic Air Pollution

- **Populations Near Heavy Traffic Roadways** ➡ Census Tract level, 2015

Zoonotic Disease



West Nile Virus (WNV)

- **West Nile Virus in Birds** → Bird samples tested for WNV, County and State levels, (2006-2016)
 - **West Nile Virus in Mammals** → Mammal samples tested for WNV, County and State levels, (2006-2016)
 - **West Nile Virus in Mosquitos** → Mosquito samples tested for WNV, County and State levels, (2006-2016)
-

Exposure Section



Biomonitoring Topic



Antimony

- **Antimony in Urine**

Arsenic

- **Arsenic in Urine by Age** → State level
- **Arsenic Levels** → County Levels, (1999-2015)

Barium

- **Barium Concentrations by Age** → State level

Cadmium

- **Cadmium in Urine** → County level

Cesium

- **Cesium Concentrations by Gender** → County level

Chlorpyrifos Metabolite (TCPy)

- **TCPy in Urine** ➡ County level

Cobalt

- **Cobalt in Urine** ➡ County level

Lead

- **Lead in Urine** ➡ County level

Molybdenum

- **Molybdenum in Urine** ➡ County level

Platinum

- **Platinum in Urine** ➡ County level

Pyrethroid Metabolite (3-PBA)

- **3-PBA in Urine** ➡ County level

Thallium

- **Thallium in Urine** ➡ County level

Tungsten

- **Tungsten in Urine** ➡ County level

Uranium

- **Uranium in Urine** ➡ County level

Lead Risk and Exposure

Childhood Lead Exposure

- **Screening Rates for Children <72 Months (Annual Incidence)** ➡ Screening Rates for Blood Lead Levels among Children <72 Months of Age; State, County and ACH levels, (2000-2015)

- **Test Results for Children <72 months old (Annual Incidence)** ➡ Percentage of Blood Lead Tests with Results $\geq 5\mu\text{g}/\text{dL}$ Per Year for Children <72 Months of Age; State, County and ACH levels, (2000-2015)

Housing

- **Lead Risk from Housing** ➡ Census Tract level, (2009-2013)
- **Pre-1980 Housing** ➡ Housing Built Before 1980 that May Have Lead-based Paint based on Housing Estimates for 2010, County level

Health Section

↓

Body Mass Index

Body Mass Index (BMI)

- **BMI for Ages 20+** ➡ Census Tract, (2014)
- **BMI for Ages 16-19** ➡ Census Tract, (2014)

Cancer Incidence

All Cancers

- **All Cancer Incidence** ➡ All Cancers Combined - Age-Adjusted Rate per 100,000, State, County and Census Tract levels, Male/Female, (2000-2013)

Brain and Nervous System

- **Brain and Other Nervous System** ➡ Brain and Nervous System Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, 3-year and 5-year roll-ups, male/female/all, (2000-2014)

Breast

- **Breast Cancer in Females** ➡ Breast Cancer Incidence in Females - Age-Adjusted Rate per 100,000; state and county levels, single year, 3-year and 5-year roll-ups; (2000-2014)

Child Cancer

- **AML in Children** ➡ AML Incidence in Children - Age Adjusted Rate per 100,000; State level, ages <20 and <15, (2000-2014)
- **Brain and Other Nervous System Cancers in Children** ➡ Brain & Other Nervous System Cancer Incidence in Children - Age Adjusted Rate per 100,000; State level, ages <20 and <15, (2000-2014)
- **Leukemia in Children** ➡ Leukemia Incidence in Children - Age Adjusted Rate per 100,000; State level, ages <20 and <15, (2000-2014)
- **Lymphoid Leukemia in Children** ➡ Lymphoid Leukemia Incidence in Children - Age Adjusted Rate per 100,000; State level, ages <20 and <15, (2000-2014)

Digestive System

- **Esophagus Cancer** ➡ Esophagus Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Liver and IBD Cancer** ➡ Liver and Intrahepatic Bile Duct Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Oral Cavity and Pharynx Cancer** ➡ Oral Cavity & Pharynx Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Pancreas Cancer** ➡ Pancreas Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)

Leukemia and Lymphoma

- **Acute Myeloid Leukemia** ➡ Acute Myeloid Leukemia Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Chronic Lymphocytic Leukemia** ➡ Chronic Lymphocytic Leukemia Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Leukemia** ➡ Leukemia Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Non-Hodgkins Lymphoma** ➡ Non-Hodgkins Lymphoma Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)

Melanoma

- **Melanoma Cancer** ➡ Melanoma Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)

Respiratory System

- **Larynx Cancer** ➡ Larynx Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Lung and Bronchus Cancer** ➡ Lung and Bronchus Cancer Incidence - Age-Adjusted Rate per 100,000; state, county and zip code levels, male/female/all; (2000-2014)
- **Mesothelioma Cancer** ➡ Mesothelioma Cancer Incidence - Age-Adjusted Rate per 100,000; state level, male/female/all; (2000-2014)

Thyroid

- **Thyroid Cancer** ➡ Thyroid Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)

Urinary System

- **Bladder Cancer** ➡ Bladder Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Kidney and Renal Pelvis Cancer** ➡ Kidney and Renal Pelvis Cancer Incidence - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)

Hospitalizations

Asthma Hospitalizations

- **Asthma Hospitalizations** ➡ Asthma Hospitalizations: Age-Adjusted Rate per 10,000; state, county and zip code levels, age groups; male/female/all; (2000-2014)

CO Hospitalizations

- **Fire Related** ➡ Carbon Monoxide Poisoning Hospitalizations - Fire Related Age-Adjusted Rate per 1,000,000; state level, (2000-2014)
- **Non-Fire Related** ➡ Carbon Monoxide Poisoning Hospitalizations – Non-Fire Related Age-Adjusted Rate per 1,000,000; state level, (2000-2014)
- **Unknown Source** ➡ Carbon Monoxide Poisoning Hospitalizations - Unknown Source Age-Adjusted Rate per 1,000,000; state level, (2000-2014)

CO Hospitalizations

- **Diabetes-Related Hospitalization** ➡ Diabetes-Related Hospitalizations - Age-Adjusted Rate per 100,000; state, county and ACH levels, male/female/all, 50+ and <50; (2000-2014)

Heart Attack -Hospitalizations

- **Heart Attack Hospitalization** ➡ Heart Attack Hospitalizations - Age-Adjusted Rate per 10,000; state, county levels, male/female/all, age groups; (2000-2014)

Heat Stress

- **Heat Stress Hospitalization** ➡ Heat Stress Hospitalizations - Age-Adjusted Rate per 1,000,000; state level, (2000-2014)

Non-Fatal Injuries

- **Bites or Stings** ➡ Bites or Stings (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Cut or Pierced** ➡ Cut or Pierced (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state and county levels, male/female/all; (2000-2014)
- **Drowning** ➡ Drowning (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state level, un-intentional; male/female/all; (2000-2014)
- **Drowning** ➡ Drowning (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state level, self-inflicted; male/female/all; (2000-2014)
- **Falls –Non-fatal** ➡ Falls (non-fatal) Hospitalizations - Age-Adjusted Rate per 10,000; state and county levels, **unintentional**; male/female/all; (2000-2014)
- **Falls –Non-fatal** ➡ Falls (non-fatal) Hospitalizations - Age-Adjusted Rate per 10,000; state and county levels, **self-inflicted**; male/female/all; (2000-2014)
- **Falls –Non-fatal** ➡ Falls (non-fatal) Hospitalizations - Age-Adjusted Rate per 10,000; state and county levels, **self-inflicted**; male/female/all; (2000-2014)

- **Falls –Non-fatal** ➡ Falls (non-fatal) Hospitalizations - Age-Adjusted Rate per 10,000; state and county levels, **assault**; male/female/all; (2000-2014)
- **Fires or Burns -Non-fatal** ➡ Fire or burns (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state level, **unintentional**; (2000-2014)
- **Fires or Burns -Non-fatal** ➡ Fire or burns (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state level, **self-inflicted**; (2000-2014)
- **Fire Arms -Non-fatal** ➡ Fire Arms (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **unintentional**; male/female/all; (2000-2014)
- **Fire Arms -Non-fatal** ➡ Fire Arms (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **self-inflicted**; male/female/all; (2000-2014)
- **Fire Arms -Non-fatal** ➡ Fire Arms (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **assault**; male/female/all; (2000-2014)
- **Motor-Vehicle Traffic -Non-fatal** ➡ Motor Vehicle (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels; male/female/all; (2000-2014)
- **Overexhertion - Non-fatal** ➡ Overexertion (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels; male/female/all; (2000-2014)
- **Poisoning -Non-fatal** ➡ Poisoning (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **unintentional**; male/female/all; (2000-2014)
- **Poisoning -Non-fatal** ➡ Poisoning (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **self-inflicted**; male/female/all; (2000-2014)
- **Struck by or against-Non-fatal** ➡ Struck by or against (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **unintentional**; male/female/all; (2000-2014)
- **Struck by or against-Non-fatal** ➡ Struck by or against (non-fatal) Hospitalizations - Age-Adjusted Rate per 100,000; state, county levels, **assault**; male/female/all; (2000-2014)
- **Suffocation-Non-fatal** ➡ Suffocation (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state, county levels; **unintentional**, (2000-2014)
- **Suffocation-Non-fatal** ➡ Suffocation (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state, county levels; **self-inflicted**, (2000-2014)
- **Suffocation-Non-fatal** ➡ Suffocation (non-fatal) Hospitalizations - Age-Adjusted Rate per 1,000,000; state, county levels; **assault**, (2000-2014)

Non-Fatal Injuries

- **Parkinson’s Related Hospitalization** ➡ Parkinson’s Related Hospitalizations - Age-Adjusted Rate per 100,000; state, county and ACH levels, male/female/all; (2000-2014)

Local Public Health Indicators (LPHI)

Access to Care

- **Mammography (2004-2010)** ➡ Percent of women who reported having had a mammogram in the past 2 years, state and county levels; (2004-2010)
- **Mammography (2011-Present)** ➡ Percent of women who reported having had a mammogram in the past 2 years, state and county levels; (2011-2014)
- **Pap Smear (2004-2010)** ➡ Percent of women who reported having had a pap smear within the past 3 years; state and county levels (2004-2010)
- **Pap Smear (2011-Present)** ➡ Percent of women who reported having had a pap smear within the past 3 years; state and county levels (2011-2014)
- **Personal Health Care Provider (2004-2010)** ➡ Percent of adults who reported having a personal health care provider (2004-2010); state and county levels (2004-2010)
- **Personal Health Care Provider (2011-present)** Percent of adults who reported having a personal health care provider, state and county levels (2011-2014)
- **Screening for Colorectal Cancer (2004-2010)** ➡ Percent of adults who meet the CDC guideline for Colorectal Cancer screening, state and county levels, (2004-2010)
- **Screening for Colorectal Cancer (2011-present)** ➡ Percent of adults who meet the CDC guideline for Colorectal Cancer screening, state and county levels, (2011-2014)
- **Unmet Medical Needs (2004-2010)** ➡ Percent of adults who reported being unable to obtain medical services due to costs (2004-2010), state and county levels, (2004-2010)
- **Unmet Medical Needs (2011-present)** ➡ Percent of adults who reported being unable to obtain medical services due to costs (2004-2010), state and county levels, (2011-2014)

Communal Disease

- **Child Vaccinations – (age 19-35 months)** ➡ Percent of children age 19-35 months with completed valid vaccination schedule; state and county levels, (2013-2015)
- **Flu Shot (2011-present)** ➡ Percent of adults who had a flu shot; state and county levels; (2011-2014)
- **Flu Shot (2004-2010)** ➡ Percent of adults who had a flu shot; state and county levels; (2004-2010)

- **Reported Chlamydia Infections** ➡ Reported Chlamydia Infections: Age-adjusted Rate per 100,000 Women Age 15-24; state and county levels; (2000-2014)
- **Treated Chlamydia Infections** ➡ Treated Chlamydia Infections: Women Age 15-24; state and county levels; (2000-2014)

Environmental Health

- **Food Safety Violations** ➡ Food Service Establishments with <36 Critical Violation Points; Local Health Jurisdiction (LHJ) and state levels, (2008-2013)
- **On-site Sewage Failures** ➡ On-Site Sewer System Failures with Corrective Action Initiated within 2 Weeks, Local Health Jurisdiction (LHJ) and state levels, (2008-2014)

Maternal and Child Health

- **Childhood Injuries (ages 0-17)** ➡ Unintentional injury Hospitalizations: Rate per 100,000 for children ages 0-17, state and county levels (2000-2014)
- **First Trimester Prenatal Care** ➡ Percent of women giving birth who received prenatal care starting in the first trimester of pregnancy (NCHS measure), state and county levels, (2003-2014)
- **Low Birth Weight** ➡ Percent of live born singleton fullterm births with birth weight less than 2500 grams; state and county levels, age groups, (2000-2015)
- **Maternal Smoking** ➡ Percent of women giving birth who smoked any time during pregnancy or in the 3 months before pregnancy, state and county levels, (2003-2014)
- **Teen Alcohol Use** ➡ Percent of 10th graders who report alcohol consumption in the past 30 days, state and county levels, (2002-2014)
- **Teen Cigarette Smoking** ➡ Percent of 10th graders who report smoking cigarettes in the last 30 days, state and county levels, (2002-2014)
- **Teen Overweight** ➡ Percent of 10th Graders who are overweight, state and county levels, (2002-2014)
- **Teen Physical Activity** ➡ Percent of 10th graders who report physical activity 60 minutes a day, 5 or more days a week, state and county levels, (2002-2014)
- **Teen Pregnancy** ➡ Pregnancies - Age-Adjusted Rate per 1,000 women age 15-17, state and county levels, (2000-2014)
- **Teen Sad and Hopeless** ➡ Percent of 10th graders who report feeling sad or hopeless almost everyday for two weeks or more in a row, during the past 12 months, state and county levels, (2000-2014)

Prevention and Health Promotion

- **Adults with BMI of ≥ 30 (2004-2010)** ➡ Percent of adults who have a Body Mass Index of 30 or greater (2004-2010), state and county
- **Adults with BMI of ≥ 30 (2011-Present)** ➡ Percent of adults who have a Body Mass Index of 30 or greater (2004-2010), state and county, (2011-2014)
- **Binge Drinking (2004-2010)** ➡ Percent of adults who report binge drinking on at least one day in the past 30 days, state and county levels, (2004-2010)
- **Binge Drinking (2011-present)** ➡ Percent of adults who report binge drinking on at least one day in the past 30 days, state and county levels, (2011-2014)
- **Diabetes (2004-2010)** ➡ Percent of adults who report being told they have diabetes (2004-2010), state and county levels
- **Diabetes (2011-present)** ➡ Percent of adults who report being told they have diabetes (2011-2014), state and county levels
- **Hospitalizations for Falls ages 60+** ➡ Falls age 65+: Age-Adjusted-Specified Age Range Rate per 100,000, county and state levels, male/female/all, (2000-2014)
- **Poor Mental Health (2004-2010)** ➡ Percent of adults who reported poor mental health during the past 30 days , state and county levels, (2004-2010)
- **Poor Mental Health (2011-Present)** ➡ Percent of adults who reported poor mental health during the past 30 days , state and county levels, (2011-2014)
- **Smoking (2004-2010)** ➡ Percent of adults who reported current smoking (2004-2010), state and county levels
- **Smoking (2011-Present)** ➡ Percent of adults who reported current smoking (2004-2010), state and county levels
- **Years of Healthy Life Expectancy (2004-2010)** ➡ Years of Healthy Life Expectancy at age 20 (2004-2010)
- **Years of Healthy Life Expectancy (2011-Present)** ➡ Years of Healthy Life Expectancy at age 20 (2011-2014)

Mortality

Cardiovascular Disease Mortality

- **Death from Cardiovascular Disease** ➡ Cardiovascular Disease Mortality - Age Adjusted rate per 100,000, state, county and census tract levels, male/female/all; (2000-2015)

All Cause Mortality

- **All Cause Mortality** ➡ All Cause Mortality - Age Adjusted Rate per 100,000; state, county and census tract levels, male/female/all; (2000-2015)

Cancer Deaths

- **Cancer Deaths - All** ➡ All cancers combined (deaths) - Age Adjusted Rate per 100,000; state, county and census tract levels, male/female/all; (2000-2015)
- **Lung and Bronchus Cancer** ➡ Lung and Bronchus cancers (deaths) - Age Adjusted Rate per 100,000; state, county and census tract levels, male/female/all; (2000-2015)

Carbon Monoxide (CO) Deaths

- **CO Deaths – Fire Related** ➡ Carbon Monoxide Poisoning (Deaths -Fire Related) Age-Adjusted Rate per 100,000; state level; (2000-2015)
- **CO Deaths – Non Fire Related** ➡ Carbon Monoxide Poisoning (Deaths –Non Fire Related) Age-Adjusted Rate per 100,000; state level; (2000-2015)
- **CO Deaths – Unknown Source** ➡ Carbon Monoxide Poisoning (Deaths – Unknown Source) Age-Adjusted Rate per 100,000; state level; (2000-2015)

Diabetes Related Mortality

- **Diabetes Related Mortality** ➡ Diabetes Related Mortality -Age-Adjusted Rate per 100,000; state, county and ACH levels; (2000-2015)

Fatal Injury

- **Bites or Stings (fatal)** ➡ Bites or Stings (deaths) Age-Adjusted Rates per 100,000), state level, (2000-2015)
- **Cut or Pierced (fatal)** ➡ Cut or Pierced (deaths) Age-Adjusted Rates per 100,000), state level, (2000-2015)
- **Drowning (fatal)** ➡ Drowning (deaths) Age-Adjusted Rates per 100,000), state level, (2000-2015)
- **Falls (fatal)** ➡ Falls (deaths) Age-Adjusted Rates per 100,000), state and county level, **unintentional**, (2000-2015)

- **Falls (fatal)** ➡ Falls (deaths) Age-Adjusted Rates per 100,000), state and county level, **self-inflicted**, (2000-2015)
- **Fires or Burns (fatal)** ➡ Fires or Burns (deaths) Age-Adjusted Rates per 100,000), state level, **assault**, (2000-2015)
- **Fires or Burns (fatal)** ➡ Fires or Burns (deaths) Age-Adjusted Rates per 100,000), state level, **unintentional**, (2000-2015)
- **Firearms (fatal)** ➡ Firearms (deaths) Age-Adjusted Rates per 100,000), state level, **assault**, (2000-2015)
- **Firearms (fatal)** ➡ Firearms (deaths) Age-Adjusted Rates per 100,000), state level, **unintentional**, (2000-2015)
- **Firearms (fatal)** ➡ Firearms (deaths) Age-Adjusted Rates per 100,000), state level, **self inflicted**, (2000-2015)
- **Motor Vehicle Traffic (fatal)** ➡ Motor Vehicle Traffic (deaths) Age-Adjusted Rates per 100,000), state and county levels, (2000-2015)
- **Poisoning (fatal)** ➡ Poisoning(deaths) Age-Adjusted Rates per 100,000), state level, **assault**, (2000-2015)
- **Poisoning (fatal)** ➡ Poisoning(deaths) Age-Adjusted Rates per 100,000), state level, **unintentional**, (2000-2015)
- **Poisoning (fatal)** ➡ Poisoning(deaths) Age-Adjusted Rates per 100,000), state level, **self-inflicted**, (2000-2015)
- **Struck by or Against (fatal)** ➡ Struck by or against (deaths) Age-Adjusted Rates per 100,000), state level, **assault**, (2000-2015)
- **Struck by or Against (fatal)** ➡ Struck by or against (deaths) Age-Adjusted Rates per 100,000), state level, **unintentional**, (2000-2015)
- **Suffocation (fatal)** ➡ Suffocation (deaths) Age-Adjusted Rates per 100,000), state level, **unintentional**, (2000-2015)
- **Suffocation (fatal)** ➡ Suffocation (deaths) Age-Adjusted Rates per 100,000), state level, **self-inflicted**, (2000-2015)
- **Suffocation (fatal)** ➡ Suffocation (deaths) Age-Adjusted Rates per 100,000), state level, **assault**, (2000-2015)

Heat Stress Mortality

- **Heat Stress Deaths** ➡ Heat Stress (deaths) Age-Adjusted Rates per 100,000), state level, (2000-2015)

Leading Causes of Death

- **Leading Causes of Death** ➡ Leading Causes of Death Age-Adjusted Rates per 100,000, state, county and ACH levels, (2000-2015)
- **Percent of Leading Causes of Death** ➡ Percent of Leading Causes of Death by county, (2000-2015)

Life Expectancy

- **Life Expectancy at Birth** ➡ Life Expectancy - state, county and census tract levels, male/female/all; (2000-2015)
- **Lower Life Expectancy at Birth** ➡ Lower Life Expectancy at birth, census tract level; (2000-2014)

Parkinson's Disease Mortality

- **Parkinson's Related Mortality** ➡ Parkinson's Related Mortality - Age-Adjusted Rates per 100,000, state, county and ACH levels, male/female/all; (2000-2015)

Premature Mortality

- **Premature Death** ➡ Premature Mortality (deaths prior to age 65) Age-adjusted Rates per 100,000, state, county and census tract levels, male/female/all; (2000-2015)

Suicide

- **Suicide by Mechanism (Firearm)** ➡ Suicide by Mechanism (Age Adjusted Rates per 100,000), state, county and ACH levels, male/female/all; (2000-2015)
- **Suicide by Mechanism (Poisoning)** ➡ Suicide by Mechanism (Age Adjusted Rates per 100,000), state, county and ACH levels, male/female/all; (2000-2015)
- **Suicide by Mechanism (Suffocation)** ➡ Suicide by Mechanism (Age Adjusted Rates per 100,000), state, county and ACH levels, male/female/all; (2000-2015)
- **Suicide by Mechanism Compared** ➡ Primary Means of Suicide (Age Adjusted Rates per 100,000), state level, male/female/all; (2000-2015)

Pesticides

Pesticide Illness

- **All Cases of Illness** ➡ Pesticide Illness - All Cases of Illness - Rate per 100,000, state and county levels, age groups, (2010-2015)
- **Agricultural Pesticide Drift** ➡ Pesticide Illness – Agricultural drift only - Rate per 100,000, state and county levels, age groups, (2010-2015)
- **Agricultural Pesticide Drift: Cases and Events** ➡ Pesticide Illness – Agricultural drift –cases and events, state level, (2010-2015)
- **Agricultural Pesticide Drift: Equipment Type** ➡ Pesticide Illness – Agricultural drift –by equipment type, state level, (2010-2015)

Pesticide Event Summaries

- **Annual Agricultural Drift Events** ➡ Exposure to Agricultural Pesticide Drift- Event Summaries (.pdf files), state level, (2010-2014)
- **Annual Event Summaries** ➡ Exposure to Pesticides- Event Summaries (.pdf files), state level, (2010-2014)

Pregnancy and Birth Outcomes

Infant Mortality

- **Infant Mortality** ➡ Infant Mortality (<1 year of age) Age-Adjusted Rate per 1000 Live Births, state and county level, (2000-2015)
- **Neonatal Mortality** ➡ Neonatal Mortality (<28 days old) Age-Adjusted Rate per 1000 Live Births, state and county level, (2000-2015)
- **Perinatal Mortality** ➡ Perinatal Mortality (28+ weeks gestation to <7 days of age) Age-Adjusted Rate per 1000 Live Births and Fetal Deaths, state and county level, (2000-2015)
- **Postneonatal Mortality** ➡ Postneonatal Mortality (28+ days to <1 year of age) Age-Adjusted Rate per 1000 Live Births, state and county level, (2000-2015)

Low Birth Weight

- **Very Low Birthweight** ➡ Very Low Birth Weight (<1500 grams) Singleton Births, state and ACH levels, (2000-2016)
- **Low Birthweight Combined** ➡ Low Birth Weight (<2500 grams) Full Term Singleton Births, state, county, Census Tract and ACH levels, (2000-2016)

Maternal Smoking

- **Maternal Smoking** ➡ Percent of women giving birth who smoked any time during pregnancy or in the 3 months before pregnancy, state, county and ACH levels, (2000-2016)

Pregnancy Outcomes

- **General Fertility** ➡ General Fertility - Births per 1,000 women in age group, state, county, census tract and ACH levels, (2000-2016)
- **Induced Abortions** ➡ Total Induced Abortions per Women (15-44), state and county levels, (2000-2015)
- **Pregnancies** ➡ Total Pregnancies per 1000 Women (15-44), state and county levels, (2000-2015)

Prematurity

- **Very Preterm Births (<32 Weeks Singleton Births)** ➡ Very Preterm (less than 32 weeks) Singleton Births, state, county and ACH levels, (2000-2015)
- **Preterm Births (<37 Weeks) Singleton Births** ➡ Preterm (less than 37 weeks) Singleton Births, state, county, census tract and ACH levels, (2000-2016)

Prenatal Care

- **First Trimester Prenatal Care** ➡ Percent of women giving birth who received prenatal care starting in the first trimester of pregnancy (NCHS measure), state, county, census tract and ACH levels, (2003-2016)

Sex Ratio

- **Sex Ratio** ➡ Male/Female Sex Ratio at Birth (Term Singletons Only) Statewide, state and county levels, (2000-2016 – State, 2012-2016 County)

Prescriptions and Drug Overdoses

Drug Overdoses

- **All Drugs Combined - Fatal** ➡ Drug Overdoses - all fatal drug overdoses combined, state, county and ACH levels, (2000-2015)
- **Fentanyl and Other Synthetic Opioids - Fatal** ➡ Fatal Overdoses from Fentanyl and Other Synthetic Opioids; state, county and ACH levels, (2000-2015)
- **Heroin - Fatal Overdoses** ➡ Fatal Heroin Overdoses, state, county and ACH levels, (2000-2015)
- **ODs Compared - Fatal** ➡ Comparison of Fatal Drug Overdoses - Age Adjusted Rate per 100,000, state level, (2000-2015)
- **Opioids – Fatal Overdoses** ➡ All Opioids - Prescription and Illicit - Fatal Overdoses, state, county and ACH levels, (2000-2015)
- **Prescription Opioids – Fatal** ➡ Fatalities from Prescription Opioid Overdoses, state, county and ACH levels, (2000-2015)